



USPTO



Searching within The ACM Digital Library with Advanced Search: (text and string and document) and (dll or semantic or action) ([start a new search](#))

Found 89 of 237,794

REFINE YOUR SEARCH

Refine by
Keywords


Discovered
Terms

Refine by People
Names
Institutions
Authors
Reviewers


Refine by
Publications
Publication Year
Publication Names
ACM Publications
All Publications
Content Formats
Publishers

Refine by
Conferences
Sponsors
Events
Proceeding Series

ADVANCED SEARCH



FEEDBACK



Found 89 of 237,794

- [Search Results](#)
- [Related Journals](#)
- [Related Magazines](#)
- [Related SIGs](#)
- [Related Conferences](#)

Results 1 - 20 of 89

Sort by relevance in expanded form

Save results to a
Binder

Result page: 1 [2](#) [3](#) [4](#) [5](#) [next](#) [>>](#)

- 1 [Collaborative, programmable intelligent agents](#)

Bonnie A. Nardi, James R. Miller, David J. Wright

March 1998 [Communications of the ACM](#), Volume 41 Issue 3

Publisher: ACM

Full text available: [PDF](#) (202.42 KB) Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 20, Downloads (12 Months): 117, Citation Count: 28
- 2 [Specification and dialogue control of visual interaction through visual rewriting systems](#)

P. Bottoni, M. F. Costabile, P. Mussio

November 1999 [Transactions on Programming Languages and Systems](#) (TOPLAS), Volume 21 Issue 6

Publisher: ACM

Full text available: [PDF](#) (886.71 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 15, Downloads (12 Months): 62, Citation Count: 8

Computers are increasingly being seen not only as computing tools but more so as communication tools, thus placing special emphasis on human-computer interaction (HCI). In this article, the focus is on visual HCI, where the messages exchanged between ...

Keywords: control automaton, dialogue control, visual languages

3 Trust (and mistrust) in secure applications



John Viega, Tadayoshi Kohno, Bruce Potter

February Communications of the ACM , Volume 44 Issue 2

2001

Publisher: ACM

Additional Information: [full citation](#),

Full text available: [Html](#) (33.48 KB), [Pdf](#) (91.25 KB)

[appendices and supplements](#),
[references, cited by](#),
[index terms, review](#)

Bibliometrics: Downloads (6 Weeks): 13, Downloads (12 Months): 203, Citation Count: 12

4 WebQuilt: A proxy-based approach to remote web usability testing



July Transactions on Information Systems (TOIS) , Volume 19 Issue 3
2001

Publisher: ACM

Full text available: [Pdf](#) (2.89 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),
[index terms, review](#)

Bibliometrics: Downloads (6 Weeks): 25, Downloads (12 Months): 136, Citation Count: 14

WebQuilt is a web logging and visualization system that helps web design teams run usability tests (both local and remote) and analyze the collected data. Logging is done through a proxy, overcoming many of the problems with server-side and client-side ...

Keywords: Usability evalution, WebQuilt, log file analysis, web proxy, web visualization

5 The C-ODA project: online access to electronic journals



Peter Kirstein, Goli Montasser-Kohsari

June 1996 Communications of the ACM , Volume 39 Issue 6

Publisher: ACM

Full text available: [Pdf](#) (1.24 MB) Additional Information: [full citation](#), [references](#), [index terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 23, Citation Count: 0

6 Writing Man Pages in HTML

Michael Hamilton


March 1997 Linux Journal , Volume 1997 Issue 35es

Publisher: Specialized Systems Consultants, Inc.

Full text available: [Html](#) (29.94 KB) Additional Information: [full citation](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 14, Citation Count: 0

7 Spreadsheets for images



Marc Levoy

July SIGGRAPH '94: Proceedings of the 21st annual conference on Computer
1994 graphics and interactive techniques

Publisher: ACM

Full text available: Pdf (1.75 MB), Ps (106.96 KB)

Additional Information: [full citation](#), [abstract](#),
[references](#), [cited by](#),
[index terms](#)

Bibliometrics: Downloads (6 Weeks): 14, Downloads (12 Months): 50, Citation Count: 16

We describe a data visualization system based on spreadsheets. Cells in our spreadsheet contain graphical objects such as images, volumes, or movies. Cells may also contain widgets such as buttons, sliders, or curve editors. Objects are displayed in ...

Keywords: data visualization, flow charts, spreadsheets, user interfaces, visual programming languages

8 Xanalogical structure, needed now more than ever: parallel documents, deep



links to content, deep versioning, and deep re-use

Theodor Holm Nelson

December Computing Surveys (CSUR) , Volume 31 Issue 4es
1999

Publisher: ACM

Full text available: Pdf (787.72 KB) Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 25, Downloads (12 Months): 127, Citation Count: 12

9 Graphical definitions: expanding spreadsheet languages through direct



manipulation and gestures

Margaret M. Burnett, Herkimer J. Gottfried

March Transactions on Computer-Human Interaction (TOCHI) , Volume 5
1998 Issue 1

Publisher: ACM

Full text available: Pdf (1.64 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 8, Downloads (12 Months): 55, Citation Count: 12

In the past, attempts to extend the spreadsheet paradigm to support graphical objects, such as colored circles or user-defined graphical types, have led to approaches featuring either a direct way of creating objects graphically or ...

Keywords: direct manipulation, forms/3, gestures, programming by demonstration

10 [Simulation with GPSS/H](#)

[Robert C. Crain](#)

December 1998 WSC '98: Proceedings of the 30th conference on Winter simulation

Publisher: IEEE Computer Society Press

Full text available:  [PDF](#) (60.19 KB) Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 16, Citation Count: 3

11 [Conceptual modeling through linguistic analysis using LIDA](#)

[Scott P. Overmyer, Benoit Lavoie, Owen Rambow](#)

July 2001 ICSE '01: Proceedings of the 23rd International Conference on Software Engineering

Publisher: IEEE Computer Society

Full text available:  [Publisher Site](#),  [PDF](#) (308.20 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 13, Downloads (12 Months): 52, Citation Count: 5

Despite the advantages that object technology can provide to the software development community and its customers, the fundamental problems associated with identifying objects, their attributes, and methods remain: it is a largely manual process driven ...

12 [Data integration using similarity joins and a word-based information representation language](#)

 [William W. Cohen](#)

July 2000 Transactions on Information Systems (TOIS), Volume 18 Issue 3

Publisher: ACM

Full text available:  [PDF](#) (312.80 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 12, Downloads (12 Months): 128, Citation Count: 21

The integration of distributed, heterogeneous databases, such as those available on the World Wide Web, poses many problems. Here we consider the problem of integrating data from sources that lack common object identifiers. A solution to this problem ...

13 [An evaluation of audio-centric CMU wearable computers](#)

[Asim Smailagic](#)

March 1999 [Mobile Networks and Applications](#), Volume 4 Issue 1

Publisher: Kluwer Academic Publishers

Full text available:  [PDF](#) (1.69 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 30, Citation Count: 3

Carnegie Mellon's Wearable Computers project is defining the future for not only computing technologies but also for the use of computers in daily activities. Fifteen generations of CMU's wearable computers are evolutionary steps in the quest for new ...

14 [Hypertext versus Boolean access to biomedical information: a comparison of effectiveness, efficiency, and user preferences](#)



[Barbara M. Wildemuth, Charles P. Friedman, Stephen M. Downs](#)

June 1998 [Transactions on Computer-Human Interaction \(TOCHI\)](#), Volume 5 Issue 2

Publisher: ACM

Full text available:  [PDF](#) (378.56 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 10, Downloads (12 Months): 61, Citation Count: 5

This study compared of two modes of access to a biomedical database, in terms of their effectiveness and efficiency in supporting clinical problem solving and in terms of user preferences. Boolean access, which allowed subjects to frame their queries ...

Keywords: domain knowledge, intellectual access, medical education, problem solving, usage effectiveness, usage efficiency, user preferences

15 [Interactive multi-pass programmable shading](#)

[Mark S. Peercy, Marc Olano, John Airey, P. Jeffrey Ungar](#)

July 2000 [SIGGRAPH '00: Proceedings of the 27th annual conference on Computer graphics and interactive techniques](#)

Publisher: ACM Press/Addison-Wesley Publishing Co.

Full text available:  [PDF](#) (5.99 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 20, Downloads (12 Months): 157, Citation Count: 47

Programmable shading is a common technique for production animation, but interactive programmable shading is not yet widely available. We support interactive programmable shading on virtually any 3D graphics hardware using a scene graph library on top ...

Keywords: OpenGL, graphics hardware, graphics systems, illumination, interactive rendering, languages, multi-pass rendering, non-realistic rendering, procedural shading, programmable shading, rendering, texture mapping, texture synthesis

16 Achieving convergence, causality preservation, and intention preservation in real-time cooperative editing systems

 Chengzheng Sun, Xiaohua Jia, Yanchun Zhang, Yun Yang, David Chen

March 1998 Transactions on Computer-Human Interaction (TOCHI) , Volume 5 Issue 1

Publisher: ACM

Full text available:  Pdf (273.05 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 19, Downloads (12 Months): 129, Citation Count: 70

Real-time cooperative editing systems allow multiple users to view and edit the same text/graphic/image/multimedia document at the same time for multiple sites connected by communication networks. Consistency maintenance is one of the most significant ...

Keywords: REDUCE, causality preservation, computer-supported cooperative work, consistency maintenance, convergence, cooperative editing, groupware systems, intention preservation, operational transformation

17 Automatically editing book reviews on the web

 Koji Eguchi, Shigeki Sugita

November 2001 WIDM '01: Proceedings of the 3rd international workshop on Web information and data management

Publisher: ACM

Full text available:  Pdf (892.76 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 14, Citation Count: 0

A large amount of book information lies scattered on the Web. It is written in non-standard forms, as is other Web information, and this imposes a heavy load on a user browsing search results. We propose an automatic editing method that assists users ...

18 Integrating SHriMP with the IBM websphere studio workbench

Derek Rayside, Martin Litou, Margaret-Anne Storey, Casey Best

November 2001 CASCON '01: Proceedings of the 2001 conference of the Centre for Advanced Studies on Collaborative research

Publisher: IBM Press

Full text available:  Pdf (857.49 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 18, Citation Count: 2

This paper provides an experience report for researchers who are interested in integrating their tools with the new IBM WebSphere Studio Workbench. The Workbench (open source at www.eclipse.org) provides an open framework for building integrated development ...

Keywords: MOF, XMI, flow diagrams, integration, software engineering, software visualization, system modeling

19 [A system for automatic personalized tracking of scientific literature on the Web](#)



Kurt D. Bollacker, Steve Lawrence, C. Lee Giles

August 1999 DL '99: Proceedings of the fourth ACM conference on Digital libraries

Publisher: ACM

Full text available: Pdf (123.52 KB)

Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 54, Citation Count: 19

Keywords: citation index, information filtering, knowledge representation, user profile

20 [Frameworks for component-based client/server computing](#)



Scott M. Lewandowski

March 1998 Computing Surveys (CSUR) , Volume 30 Issue 1

Publisher: ACM

Full text available: Pdf (243.81 KB)

Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 39, Downloads (12 Months): 276, Citation Count: 18

Result page: 1 [2](#) [3](#) [4](#) [5](#) [next](#)

[>>](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)